

**CHENYANG**

**( GUANGZHOU )**

**TECHNOLOGY CO.,LIMITED**

# Product Catalog

[www.cyytech.com](http://www.cyytech.com)

#### **Our mission**

To use advanced digital printing technology, continued to create maximum value for customers.

#### **Our Vision**

To become the most trusted digital printing solutions supplier.

#### **Our Core values**

Integrity, Responsibility, Cooperation,  
Win-win.

#### **Contact Details**

---

**Tel & Fax:** +86-20-8981 5034

**WhatsApp:** + 86-135 3998 0722

**Email:** [mavis@cyytech.com](mailto:mavis@cyytech.com)

**Wechat:** +86-135 3998 0722

**Address:** Guangzhou, China

## CHENYANG ( GUANGZHOU ) TECHNOLOGY CO.,LIMITED

ChenYang (Guangzhou) Technology Co., Limited is located in Guangzhou, manufacturer for KONGKIM products, we are in printing industry since 2006, our printers are for DTF, Textile, T-shirt, Eco solvent, Sublimation, Solvent, and UV, we also provide inks and parts.

Now we set distributors in different countries UK, USA, Australia, Indonesia, Philippine, Madagascar, Italy and so on, we will provide better service to our both new and old customers.

We are a young and excellent team, we have more experience to share with you, to support you.hope to work together, develop together, creat a nice future together.

# CONTENTS

01 KONGKIM KK-600	03 KONGKIM KK-700
05 KONGKIM KK-604U	07 KONGKIM KK-300E
09 KONGKIM KK-3042U	11 KONGKIM KK-6090U
13 KONGKIM KK-6090S	15 KONGKIM KK-1800
17 KONGKIM RT-1800	19 KONGKIM KK-3200
21 KONGKIM KK-3204	23 KONGKIM KK-2513U
25 KONGKIM Inks	26 Other Equipment

# KONGKIM KK-600

High-End DTF printer / 高端款烫画打印机

4H configuration, industry benchmark / 4头顶配, 行业标杆

Solid material + Precision machining / 扎实用料+精密加工



KK-600 PRO



KK-600E



## Technical Parameters

Machine Model	KK-600 DTF Printer Machine
Print Head/Print Width	2/4 EPSON I3200 print-heads optional
Ink Type	DTF Ink CMYK+WHITE Colors [Supports up to 8 fluorescent colors]
Printing Speed / RIP Software	500pcs tshirts/hour [4H model]; MAINTOP RIP & FLEXI_22
Application	Any kinds of T-shirt / Garment / fabric / Bag / Shoes / pant ...etc
Take Up System	Fully automatic rewinding system synchronized with the printer
Power Supply	AC 220V&110V Optional 50/60HZ; Rated Power 5.5KW [4H_PRO]
Operation Environment	Temperature: 18°C-28°C, Humidity: 35%RH-65%RH
Package Size & Weight	Printer: L*W*H: 2100*780*780mm/190KG Powder machine: L*W*H: 2000*1120*1140mm/260KG [PRO]

## MACHINE APPLICATIONS \ 机器的应用



T-shirts

Bags

Throw pillows

Trousers

Hats

Socks

# KONGKIM KK-700

Luxurious DTF printer / 豪华版抖粉机

Special customize, Print whatever you want / 随心所欲特殊定制打印

With BYHX circuit board / 博源恒芯控制系统




· KK-700 PRO ·



· KK-700E ·

Technical Parameters	
Machine Model	KK-700 DTF Printer Machine
Print Head/Print Width	Double EPSON i3200&4720&XP600 Print heads
Ink Type	DTF Ink CMYK+WHITE Colors
Printing Speed / RIP Software	250pcs tshirts/hour; MAINTOP RIP & FLEXI_22
Application	Any kinds of T-shirt / Garment / fabric / Bag / Shoes / pant ...etc
Take Up System	Fully automatic rewinding system synchronized with the printer
Power Supply	AC 220V&110V Optional 50/60HZ; Rated Power 3.5KW [Standard]
Operation Environment	Temperature: 18°C-28°C, Humidity: 35%RH-65%RH
Package Size & Weight	Printer: L*W*H: 2000*740*710mm/170KG Powder machine: L*W*H: 1350*950*1220mm/200KG [Standard]

## MACHINE APPLICATIONS \ 机器的应用




# KONGKIM KK-604U

luxury roll-to-roll UV-DTF printer machine 豪华数码水晶标打印机  
 4H heavy duty frame, double cycle water cooling temperature control  
 4头重型机架, 1拖4双循环水冷UV固化系统



Technical Parameters	
Model	KK-604U
Maximun Print Size	600mm
Head Type	<b>i3200-U1<sup>13</sup></b> [White + Color + Varnish]
Resolution / Speed	6Pass mode 8 sqm/hr
	8Pass mode 6 sqm/hr
	12Pass mode 4 sqm/hr
Ink Type	UV DTF special UV ink
Ink System	Large ink-tank continuous / Ink mixing + circulation system / Lack of ink alarm
Application	Phone cases, acrylic, glass, wood, metal, plastic, ceramics, and almost any object ...
Personalization	AB film / bronzing / silvering free choice to enhance market competitiveness
Feeding & Take-Up System	Double power unbiased winding / Automatic peeling and lamination
Motor	Double Leadshine integrated servo motor
Heating System	Intelligent temperature control rubber roller heating system
Print Port	Gigabit Ethernet interface
RIP Software RIP	MainTop RIP v7.0, FLEXI_22
Power Supply	AC 220V&110V ±10% Optional 50/60HZ
Power	Printing system: 1.0KW & UV curing system :1.3 KW
Operation Environment	Tem: 20°C-30°C, Humidity: 35%RH-65%RH
Size&Weight L*W*H	1900*815*1580mm / 225KG [Net]      2000*900*750mm / 260KG [Packing]t

## MACHINE APPLICATIONS \ 机器的应用



# KONGKIM KK-300E


High quality A3 DTF printer / 高端A3抖粉机

Special customize, Print whatever you want / 随心所欲,特殊定制打印.



Technical Parameters	
Machine Model	KK-300E 30cm/A3 DTF Printer Machine
Print Head/Print Width	Maximum 300mm; Double EPSON XP600 print-heads
Ink Type	DTF Ink CMYK+WHITE Colors
Print Speed&RIP Software	8m <sup>2</sup> /h & MAINTOP RIP or FLEXI_22
Application	Any kinds of T-shirt / Garment / Fabric / Bag / Shoe / pant ...etc
Take Up System	Fully automatic rewinding system synchronized with the printer
Power Supply	AC 220V&110V Optional 50/60HZ; Rated Power 2.5KW
Operation Environment	Temperature: 18°C-28°C, Humidity: 35%RH-65%RH
Package Size&Weight	Printer: L*W*H: 1400*750*500mm/100KG Powder machine: L*W*H: 760*560*620mm/80KG

## MACHINE APPLICATIONS \ 机器的应用



# KONGKIM KK-3042U


High quality A3 UV DTF film printer / 高端A3 DTF UV机

Special customize, Print whatever you want / 随心所欲,特殊定制打印.



Technical Parameters	
Machine Model	KK-3042U
Print Head/Print Width	EPSON XP600&i3200 / Maximum print 320*430mm
Ink Type	Special UV DTF Ink CMYK+WHITE+VARNISH
Print Speed/RIP Software	6m <sup>2</sup> /h MAINTOP RIP/RIN/FLEXI_22
Application	Phone case, Pen, Pad, Bottle, Glass, Ceramic, Disc, Wood...etc
Power Supply	AC 220V&110V Optional 50/60HZ; Rated Power 0.3KW
Operation Environment	Temperature: 15°C-30°C, Humidity: 20%RH-80%RH
Package Size&Weight	910*870*760mm / 85KG

## MACHINE APPLICATIONS \ 机器的应用



# KONGKIM KK-6090U

Flatbed UV 3D Printer / 3D UV 平板打印机  
 Special customize, Print whatever you want  
 随心所欲，特殊定制打印



Technical Parameters	
Machine Model	KK-6090U
Print Head/ Number	EPSON XP600 2H / 3H / 4H
Ink Type/ RIP Software	UV ink / CMYK+White+Varnish optional / MainTop RIP or FLEXI_22
Print Speed	6PASS mode: 7m <sup>2</sup> /h [W+C+V] / 15m <sup>2</sup> /h [W*2+C*2]
Printing Platform/ UV lamp	600mm * 900mm [±2mm] / Dual band UV lamps
Special Function	White ink circulation and stirring system + UV lamp water cooling system
Operation Environment	Temperature: 18°C-28°C, Humidity: 35%RH-65%RH
Package Size&Weight	1650*1650*920mm / 300KG

## MACHINE APPLICATIONS \ 机器的应用



Phone case



Mug



Cylinder



For any kinds of flat material



# KONGKIM KK-6090S


DTG T-shirt printer / 6090纯棉T恤打印机

Double printing platforms, Breathable&Higher end / 双打印平台, 透气更高端



Technical Parameters	
Machine Model	KK-6090S
Print Head/Number	EPSON XP600 print-head / 2H~4H
Ink Type	Cotton special pigment ink / 2*CMYK+2*White
Print Speed/RIP Software	96~192pcs/H [A4 size t-shirt] / MAINTOP RIP & FLEXI_22
Printing Platform	Double A3 printing platforms + Platform heating system
Special Function	White ink cycle and mixing system + Rising and falling of beams
Operation Environment	Temperature: 18°C~28°C, Humidity: 35%RH~65%RH
Package Size&Weight	1650*1650*920mm / 300KG

## MACHINE APPLICATIONS \ 机器的应用



Bag

T-shirt

For any kinds of garment / fabric

# KONGKIM KK-1600&KK-1800


Digital Eco Solvent&Sublimation Inkjet Printer / 高精度数码写真机  
 Integrated structure beam, high strength and high resolution  
 3200dpi printer / 一体结构梁高精度高强度

• All New KK Series



Technical Parameters			
Model	KK-1600	KK-1800	
Maximun Print Size	1650mm	1850mm	
Head Number	1/2 Optional		
Head Type	<b>XP600<sup>1</sup></b>	<b>DX5<sup>1</sup></b>	<b>i3200<sup>1</sup></b>
Resolution / Speed	4Pass 12sqm/hr	4Pass 16sqm/hr	4Pass 24sqm/hr
	6Pass 8sqm/hr	6Pass 12sqm/hr	6Pass 16sqm/hr
	8Pass 6sqm/hr	8Pass 8sqm/hr	8Pass 12sqm/hr
Ink Type	Eco Solvent & Sublimation Inks		
Ink System	Auto Ink Supply system		
Media Type	Vinyl sticker,flex banner,backlit, window film,wall paper,Leather, Photo paper ...		
Guide	THK linear guide		
Motor	Leadshine integrated motor		
Picture Type	PNG, JPG, JPEG, TIFF, PDF ...		
Print Port	USB 2.0, USB3.0		
Operating System	Windows 7, Windows10, Windows 11		
RIP Software RIP	MainTop, PhotoPRINT		
Power Supply	AC 220V&110V Optional 50/60HZ		
Power	Print system: 0.5kw; Front heating 0.5kw; Rear heating 0.5kw; Back heating 1kw		
Operation Environment	Tem: 18°C-28°C, Humidity: 40%RH-65%RH		
Package Size&Weight	L*W*H: 2920*740*710mm/250KG		

## MACHINE APPLICATIONS \ 机器的应用



# KONGKIM RT-1800

Luxury Digital Eco Solvent&Sublimation Inkjet Printer / 豪华版数码打印机

Integrated structure beam, high strength and high resolution

3200dpi printer / 一体结构梁高精度高强度

• All New RT-1800 Series



Technical Parameters			
Model	RT-1802	RT-1804	
Maximun Print Size	1850mm	1850mm	
Head Number	1~4pcs Optional		
Head Type	<b>i3200-E1<sup>2</sup></b>	<b>i3200-E1<sup>4</sup></b>	<b>DX5<sup>2</sup></b>
Resolution / Speed	4Pass 42sqm/hr	4Pass 83sqm/hr	4Pass 30sqm/hr
	6Pass 28sqm/hr	6Pass 55sqm/hr	6Pass 20sqm/hr
	8Pass 21sqm/hr	8Pass 40sqm/hr	8Pass 15sqm/hr
Ink Type	Eco Solvent & Sublimation Inks		
Ink System	Auto Ink Supply system		
Media Type	Vinyl sticker,flex banner,backlit, window film,Photo paper, Sublimation paper ...		
Guide	THK linear guide THK		
Motor	Leadshine integrated motor		
Picture Type	PNG, JPG, JPEG, TIFF, PDF		
Print Port	USB 2.0, USB3.0		
Operating System	Windows 10, Windows11		
RIP Software RIP	MainTop RIP, FLEXI_22		
Power Supply	AC 220V&110V Optional 50/60HZ		
Power	Print system: 0.5kw; Front heating 0.5kw; Rear heating 0.5kw; Back heating 1kw		
Operation Environment	Tem: 20°C-30°C, Humidity: 40%RH-65%RH		
Package Size&Weight	L*W*H: 3250*750*740mm / 260KG		

## MACHINE APPLICATIONS \ 机器的应用



Poster



Banner/Tarpaulin



Soft Film Ads




Adhesive Vinyl



Curtain Fabric



Chiffon fabric



Roll up Banner



One-Way Vision

# KONGKIM KK-3200

3.2m Digital Eco Solvent&Sublimation Inkjet Printer / 3.2米数码打印机


BYHX Circuit Boards System Optional / 博源恒芯板卡系统

• All New KK Series




Technical Parameters			
Model	KK-3201	KK-3202	
Maximum Print Size	3250mm		
Head Number	1/2 Optional		
Head Type	<b>XP600<sup>2</sup></b>	<b>DX5<sup>2</sup></b>	<b>i3200<sup>2</sup></b>
Resolution / Speed	4Pass 28sqm/hr	4Pass 36sqm/hr	4Pass 71sqm/hr
	6Pass 21sqm/hr	6Pass 28sqm/hr	6Pass 54sqm/hr
	8Pass 14sqm/hr	8Pass 22sqm/hr	8Pass 36sqm/hr
Ink Type	Eco Solvent & Sublimation Inks		
Ink System	Auto Ink Supply system		
Media Type	Vinyl sticker,flex banner,backlit, window film,wall paper,Leather, Photo paper ...		
Guide	THK linear guide THK		
Motor	Servo motor imported from USA		
Picture Type	PNG, JPG, JPEG, TIFF, PDF, PSD, EPS ...		
Feed & Take UP System	3Pieces Feeding System & 1Piece Take Up System		
Operating System	Windows 7, Windows10, Windows 11		
RIP Software RIP	MainTop RIP, FLEXI_22		
Power Supply	AC 220V&110V Optional 50/60HZ		
Power	Printer 0.3KW; Platform heating 0.7KW; External dryer 1.5KW		
Operation Environment	Tem: 18°C-28°C, Humidity: 35%RH-65%RH		
Package Size&Weight	L*W*H:4250*1560*820mm / 350KG		

## MACHINE APPLICATIONS \ 机器的应用



# KONGKIM KK-3204 PRO

3.2m luxury digital printer 3.2m豪华数码打印机  
 Stronger body structure, 4heads configuration  
 4头重型机架, 双收放料系统



Technical Parameters		
Model	KK-3204 PRO	
Maximun Print Size	3300mm	
Head Number	4pcs I3200-E1 / F1080 optionals	
Head Type	<b>i3200-E1<sup>4</sup></b>   <b>F1080<sup>4</sup></b>	
Resolution / Speed	3Pass 130sqm/hr	3Pass 72sqm/hr
	4Pass 97sqm/hr	4Pass 50sqm/hr
	6Pass 65sqm/hr	6Pass 35sqm/hr
Ink Type	Eco Solvent & UV & Sublimation Inks	
Ink System	Large ink-tank continuous system / Lack of ink alarm	
Media Type	Vinyl sticker,flex banner,backlit, window film,wall paper,Leather, Photo paper ...	
Guide	THK linear guide THK	
Motor	Leadshine integrated servo motor	
Heating System	Infrared segment heating ,air drying double srying	
Print Port	Gigabit Ethernet interface	
Operating System	Windows 7, Windows10, Windows11	
RIP Software RIP	MainTop RIP & FLEXI_22	
Power Supply	AC 220V&110V ±10% Optional 50/60HZ	
Power	Print system: 0.5kw & Peak power of drying system :2.0KW	
Operation Environment	Tem: 18°C-28°C, Humidity: 35%RH-65%RH	
Size&Weight L*W*H	4415*980*1500mm / 800KG [Net]   4600*1040*1550mm / 850KG [Packing]	

## MACHINE APPLICATIONS \ 机器的应用



Decorative Paintings



Banner/Tarpaulin



Hanging-Flag



Canvas



Roll up Banner



Window-Sticker

# KONGKIM KK-2513U

43 PLATFORM SUPPORT POINTS WITHOUT BLIND SPOTS

+NETHERLANDS PRINT FACTORY /MAINTOP COLOR MANAGEMENT SOFTWARE

IMPORTED 750W AC SERVO MOTOR + DOUBLE Y AXIS IMPORTED 400W AC SERVO

MOTORMULTI-FACE MILLING INTEGRATED ALUMINUM BEAM + LG LED-UV LAMP CURING SYSTEM



## Technical Parameters

<b>Brand</b>	KONGKIM		<b>Resolution</b>	Max 720x1800dpi	
<b>Model</b>	KK-2513U		<b>Print-Head</b>	RICOH G5/G6 print-head optional	
<b>Print Size</b>	2500mm *1300mm		<b>Color</b>	CMYK+W+V+Lc+Lm (optional)	
<b>Ink</b>	RICOH GEN6 special UV ink		<b>Ink prompt</b>	Real-time display of ink quantity	
<b>Printing Speed</b>	Print Head	4 Rows of Ricoh G5 print-heads		4 Rows of Ricoh G6 print-heads	
	Print Mode	4PASS	6PASS	8PASS	4PASS 6PASS 8PASS
	All Color Mode	60m <sup>2</sup> /h	40m <sup>2</sup> /h	30m <sup>2</sup> /h	90m <sup>2</sup> /h 60m <sup>2</sup> /h 45m <sup>2</sup> /h
	C+W Mode	30m <sup>2</sup> /h	21m <sup>2</sup> /h	16m <sup>2</sup> /h	45m <sup>2</sup> /h 31m <sup>2</sup> /h 24m <sup>2</sup> /h
<b>Print Material</b>	KT board, PVC board, acrylic, metal plate, aluminum plastic board, foam board, mobile phone case tiles...				
<b>Ink Supply</b>	Independent secondary ink cartridge constant temperature continuous ink supply				
<b>RIP Software</b>	PrintFactory and MainTop RIP software optional				
<b>Drive System</b>	High power AC servo computer [X/Y/Z axis]				
<b>Control System</b>	BYHX board, the most stable print control system in China				
<b>ICC Profile</b>	Gb calibration ICC color adjustment function				
<b>Curing System</b>	Korea LG LED-UV		<b>Print Platform</b>	Zone 4 vacuum platform	
<b>Negative Pressure system</b>	White、Colorindependent negative pressure system		<b>Print thickness</b>	100mm/Max 100mm	
<b>Print Port</b>	USB3.0/USB2.0		<b>Picture format</b>	Tif、JPG、PNG、BMP、PDF、PSD...	
<b>OS</b>	WIN 7/WIN 10 / WIN 11 64bit		<b>Power Supply</b>	AC 220V(±10%) 50/60HZ ,4KW	
<b>Humiture</b>	18°C~28°C/30%RH~65%RH		<b>Machine Weight</b>	NW1000KG, GW 1200KG	
<b>Machine Size</b>	L*W*H:4100*2060*1400mm		<b>Packing Size</b>	L*W*H:4450*2150*1700mm	



Glass



Acrylic



Ceramic



DTF Ink



Sublimation Ink



Eco Solvent Ink



UV Ink



Heat Roller Calendar Machine



Cutting Plotter

Heat Press Machine



Auto laminator

